## Social Sciences, Rural Sociology and Agricultural Economics



Identifying agroecological transition pathways based on the Global Approach to Agricultural Systems: the case of family livestock farmers in northern Uruguay

Identificación de los caminos de la transición agroecológica a partir del Enfoque Global de Explotación Agropecuaria: el caso de los ganaderos familiares del norte del Uruguay

Identificação de vias de transição agroecológica com base na Abordagem Global da Exploração Agrícola: o caso dos criadores de gado familiares no norte do Uruguai

Ferreira Rivaben, Inés; Rossi, Virginia; Figari, Mercedes; Chia, Eduardo

☐ Inés Ferreira Rivabeninesfriv@fagro.edu.uyUniversidad de la República, Uruguay

**D Virginia Rossi** virossi@fagro.edu.uy Universidad de la República, Uruguay

Mercedes Figari mercedes.figari@gmail.com Universidad de la República, Uruguay

Eduardo Chia eduardo.chia@inrae.fr Institut National de la Recherche pour l'Agriculture, l'Alimentation et l'Environnement (INRAE), Francia

Agrociencia Uruguay Universidad de la República, Uruguay ISSN-e: 2730-5066 Periodicity: Bianual vol. 27, e1069, 2023 agrociencia@fagro.edu.uy

Received: 10 July 2022 Accepted: 19 April 2023 Published: 06 June 2023

URL: http://portal.amelica.org/ameli/journal/506/5063857011/

**DOI:** https://doi.org/10.31285/AGRO.27.1069

Corresponding author: inesfriv@fagro.edu.uy

Agrociencia Uruguay, 2023



**Abstract:** Agroecology represents one of the main alternatives to production models generated by the green revolution, both in Uruguay and other countries. It appears as a response to climate change, biodiversity management, nature resource restoration, and, more recently, as a response to the COVID-19 pandemic crisis. In Uruguay, agroecology is marginal despite the existence of a law for a National Plan to Encourage Production with Agroecological Bases since 2018. Moreover, research on agroecological transition processes is very incipient. This study aims to identify agroecological practices and possible transition paths towards agroecology of family livestock farmers in northern Uruguay. The methodology used focuses the study on technical, social and organizational practices, allowing access to the operation scheme and understanding the decisionmaking processes in family-type production systems. The socioproductive practices revealed in the research allowed the elaboration of a typology that represents possible ways for these livestock farmers to move towards agroecological production and management of their farms. The results of this study can be used to strengthen processes of conception or co-conception by selecting and disseminating innovation with actions and public policies closer to farmers.

**Keywords:** agroecological transition, biodiversity management, family farming, global methods, socio-productive practice.

Resumen: La agroecología representa una de las principales alternativas a modos de producción generados por la revolución verde, tanto en Uruguay como en otros países. Aparece como una respuesta al cambio climático, a la gestión de la biodiversidad y a la restauración de los recursos naturales; y más recientemente como respuesta a la crisis de la pandemia COVID-19. En Uruguay la agroecología, a pesar de que existe una Ley de Plan Nacional para el Fomento de la Producción con Bases



This work is licensed under Creative Commons Attribution 4.0 International.

Agroecológicas desde 2018, es marginal y la investigación sobre procesos de transición agroecológica es muy incipiente. El objetivo de este trabajo es identificar prácticas agroecológicas y posibles caminos de transición hacia la agroecología de los ganaderos familiares del norte uruguayo utilizando una metodología que se centra en el estudio de las prácticas técnicas, sociales y organizativas, lo cual permite acceder al esquema de funcionamiento y comprender los procesos de toma de decisiones en los sistemas de producción de tipo familiar. Las prácticas socio-productivas evidenciadas en la investigación permitieron elaborar una tipología que representa posibles caminos por los cuales estos ganaderos transitan hacia una producción y gestión agroecológica de las explotaciones. Los resultados de este estudio pueden ser utilizados para fortalecer procesos de concepción o de co-concepción, a través de la selección y difusión de innovaciones con acciones y políticas públicas más cercanas a los productores.

Palabras clave: agricultura familiar, gestión de la biodiversidad, métodos globales, prácticas socio-productivas, transición agroecológica.

Resumo: A agroecologia representa uma das principais alternativas aos modos de produção gerados pela revolução verde, tanto no Uruguai como em outros países. Aparece como uma resposta às alterações climáticas, à gestão da biodiversidade e à restauração dos recursos naturais; e mais recentemente como uma resposta à crise pandêmica da COVID-19. No Uruguai, a agroecologia é marginal, apesar da existência de uma Lei do Plano Nacional para a Promoção da Produção de Base Agroecológica desde 2018, e a investigação sobre processos de transição agroecológica é muito incipiente. O objetivo deste trabalho é identificar práticas agroecológicas e possíveis vias de transição para a agroecologia dos criadores de gado familiares no norte do Uruguai, utilizando uma metodologia centrada no estudo das práticas técnicas, sociais e organizacionais, que permite o acesso ao esquema de funcionamento e a compreensão dos processos de tomada de decisão em sistemas de produção de tipo familiar. As práticas socio-produtivas reveladas pela investigação permitiram elaborar uma tipologia que representa as possíveis formas de evolução destes criadores de gado para a produção e gestão agro-ecológica das suas explorações. Os resultados deste estudo podem ser utilizados para reforçar os processos de concepção ou co-concepção, através da seleção e divulgação de inovações com ações e políticas públicas mais próximas dos produtores.

Palavras-chave: agricultura familiar, gestão da biodiversidade, métodos globais, práticas sócio-produtivas, transição agroecológica.

AUTHOR NOTES

inesfriv@fagro.edu.uy

## 1. Introduction

The development of agroecology as a scientific field has allowed identifying the fundamental ecological principles to design and manage agroecosystems that maintain productivity attributes, while preserving natural resources, that are socially and economically viable, and also culturally sensitive<sup>(1)</sup>. In Uruguay and many countries it arises as an alternative to the forms of production based on the green revolution<sup>(2)</sup>as a response to climate change<sup>(3)</sup>; as a contribution to the management of biodiversity and the restoration of natural resources<sup>(4)</sup>, and more recently as a response to the pandemic crisis caused by SARS-CoV-2<sup>(5)</sup>. From the development and expansion of agroecology, new fields of knowledge have emerged that delve into the agronomic, social, economic and physical impacts, as well as on animal and human health. These changes are related both to altering the regulation of nature's biological cycles and to ways of organizing, forming alliances, and innovating<sup>(6)(7)</sup>.

Faced with this situation, politicians, journalists and scientists started talking about agroecological transition (AT). Some authors consider AT as a concept or notion; Venegas and others<sup>(8)</sup>, for example, suggest defining it "as a process that aims to restore agroecological principles within the operation of an agroecosystem, under a dynamic conservation perspective, where practices and techniques typical of traditional systems can be combined with modernizing elements that help the operation of efficient production systems, capable of generating reliable and safe products, that protect the health of farmers and the environment, and that may have insertion in markets that increasingly value the effects of food on health".

For other authors, such as Tittonell<sup>(9)</sup>, Chia and Angeon<sup>(10)</sup>, AT is an object of study, and this is the line that the study follows and pretends to contribute to. Therefore, this research refers to AT as a study case. As a set of processes, practices, and simultaneous paths at different scales, levels and dimensions, combining actions at the level of both trophic structures of soil communities and families in the rural environment with their roles and responsibilities<sup>(10)(11)</sup> with those transformations at the socio-technical, political and cultural level in the territories<sup>(11)(12)(13)</sup>. It must be considered, on the other hand, that AT is a phenomenon "situated" (in time and space), which means that the implementation of a new way of production depends on local natural and immaterial resources, and on the current situation and objectives of the families that frame their decisions to determine projects and paths towards transformation<sup>(10)</sup>, without forgetting the organizational and governance forms<sup>(12)</sup>.

In this regard, to study the ongoing transitions it is essential to understand the rationality and functioning of farms to co-conceive new production systems, new organizations, new advice and support systems, new public policies. This implies a methodological challenge; it means developing systemic approaches, valuing the articulation of knowledge and synergizing local and scientific knowledge so as to relearn to learn, through individual and collective dynamics that arise as a source of adaptation to local innovation situations<sup>(14)</sup>. Also, it means promoting participatory approaches, research-action or research-intervention, where producers participate from the diagnostic phase to the evaluation phase, through the implementation of new practices together with researchers to create actionable knowledge<sup>(16)</sup>.

The term *agroecology* today means either a scientific discipline, an approach to agricultural practice or a political and social movement. These three dimensions are usually closely linked<sup>(17)</sup>. The implementation of the agroecological approach presents, as one of its conceptual bases, the issue of knowledge hybridization developing interdisciplinary studies and with local actors. Regarding the importance of hybridizing scientific knowledge with local knowledge<sup>[I]</sup>, authors such as Gaglio<sup>(18)</sup>, Akirch<sup>(19)</sup> and Callon<sup>(20)</sup> highlight the importance of scientific and empirical knowledge in innovation processes. Alter<sup>(21)</sup>, meanwhile, points out that local knowledge also allows for innovation.

Agroecology is part of a set of new approaches to agricultural development that vindicate the importance of stakeholders participating and being directly involved in innovation processes, since this is how local knowledge and the most advanced scientific knowledge are mobilized together<sup>(11)</sup>. How to do this mobilization, how to innovate? Meynard<sup>(7)</sup> believes that agroecology has as its implicit objective that each producer designs his production system taking into account his family situation and his natural resources; promoting that actors of each territory organize to adjust the management of local resources. This allows food system actors to adapt their methods of production, processing and consumption, depending on the diversity of their purposes as a family.

This objective invites us to learn how producers decide and therefore how to study the decisions made by families. Several French researchers, such as Brossier and others<sup>(22)</sup>, and Chia and others<sup>(23)</sup>, propose that through the study of practices it is possible to identify the family producers' rationalities in use and not the theoretical models (justification). This makes it possible to understand decisions and build a decisional, operational and strategic modeling of farms, building more comprehensive models of action<sup>(22)(23)</sup>.

There are methodologies, such as the Global Approach to Agricultural Systems (GAAS), which have originated as a response to the need to "dialogue" with producers and to facilitate relationships between researchers and producers<sup>(16)</sup>. As detailed below, this methodology has been known and applied in Uruguay for more than 20 years<sup>(24)</sup>. Due to its comprehensive framework based on the study of producers' practices, this research suggested studying innovation processes and AT in the country. Since one of our hypotheses related to AT is that there are several paths and that these depend on the situation and the producers' projects, the study was oriented to test the relevance of the GAAS as an instrument that allows demonstrating the rationality and operation of the farms, in this case in the decision-making processes associated with AT. In this way, identifying the different paths of the AT set in Uruguay and for which producers need to be supported based on their practices.

There are 21,657 family farms in the country<sup>[II]</sup>, representing almost half of the total farms, considering that the number of total farms at the national level was 44,781 in 2011<sup>(25)</sup>. Cattle (meat or milk) or sheep (meat and wool) is the main production for 65.4% of family farmers, most of them on a natural field forage basis<sup>(25)</sup>(Figure 1). On the other hand, the law on the National Agroecology Plan (called "Plan Nacional para el fomento de la producción con bases agroecológicas") was adopted in 2018, promoted by the Agroecology Network, the Creole and Native Seeds Network, and the Latin American Society of Agroecology<sup>(26)</sup>. The purpose of this law is to strengthen food sovereignty and security and the agroecological production system, focusing on the family agricultural producer, and urban and suburban agricultural production systems.



FIGURE 1
Livestock landscapes from northern Uruguay

Picture 1: Dept. Tacuarembó, sandstones, year 2019. Picture 2: Dept. Tacuarembó, shallow basalt, year 2019

In particular, the lifestyle of livestock families and their relationship with nature and the landscape are characteristics of a culture and tradition that prevail in decision-making  $^{(27)}$ , and that can act as driving forces

of change<sup>(13)</sup>. For this reason, it is especially important to understand the decision-making processes within families and to be able to support the AT of this type of producer.

Various researches on family farming in Uruguay analyze the question of its social, economic and ecological sustainability  $^{(28)(29)(30)(31)}$ . However, few studies have been interested in the role played by the technical and organizational practices of Uruguayan family producers in the dynamics of AT, not only at the level of agricultural production but also livestock. Particularly in family farming, the strategic importance of researches that allow a better understanding of the producers' management and conservation of the natural field, and how to generate changes through collaborative work between technicians and family producers was pointed out already in  $2014^{(3)(31)}$ .

Responding to this challenge, this article presents, as the main objective of the research, the results obtained from the use of the GAAS methodology as a tool to identify agroecological practices and transition paths that family livestock producers in northern Uruguay are experiencing. First, the methodology is presented, which focuses on the study of technical, social and organizational practices, to access the operating scheme and understand the decision-making processes in family-type production systems. Secondly, the results of the case studies are presented, which are discussed emphasizing the paths that can lead family producers toward an agroecological transition, testing a typology proposal. The conclusions take stock of the relevance of the methodology to identify socio-productive practices in the different types of family producers and for the implementation of processes of conception, selection and dissemination of innovations. The study ends with a reflection on the National Agroecology Plan and the contributions of the study to the elaboration of public policies that accompany producers who enter the virtuous circle of agroecology.

## 2. Material and methods

## 2.1 General approach of the research: agroecology from a practical point of view

Research on agroecology poses two major challenges: a methodological one, that is, how to study and analyze it through the socio-productive practices of producers; and a theoretical challenge, that is, generating actionable knowledge about the mechanisms of action of producer families allowing them to advance in a transition<sup>(32)</sup>.

The Theory of Adaptive Behavior of producers seems to be a relevant conceptual and theoretical framework to study the decision-making processes linked to the phenomenon of AT, since it allows a global and dynamic approach to the decision models of producers<sup>(23)</sup>. The theory uses the concept of the Family-Exploitation System (FES) and considers the farm and the family as a complex system (an organized whole) that does not respond to simple and uniform optimization criteria<sup>(33)</sup>. Acting as a particular species of collective subject and not as a simple aggregate of individuals, the family component is relevant to articulate the different logics present in the family-exploitation system, where work and family are deeply intertwined<sup>(34)</sup>. In particular, it focuses on the decisions of family producers (How are decisions made? What are the determinants of such decisions?), and makes it possible to understand the operation of family farms<sup>(23)</sup>. It is based on a postulate of coherence that can be summarized in the idea that producers have "reasons" to do what they do, and in the notions of purpose, project, situation and perception<sup>(22)</sup>. For these researchers, although the family determines the available workforce and the level of consumption needs, the decisions taken are, at the same time, the expression of a project and a situation. The project is defined as a complex set of objectives more or less hierarchical, not devoid of contradictions, but susceptible to evolution<sup>(22)</sup>.

From the methodological point of view, the interesting thing about this approach is that only from the producers' practices ("what they do": their actions) can their vision be inferred ("what they seek": their projects, purposes), and the perception they have about their objectives and their situation, understanding their decisions, needs and, from there, building a decisional, operational and strategic modeling.

As shown in Figure 2, there are two levels of action in the FES: that of the conceptual elaboration of decisions (decision system), and that of tangible operations (operating system), which function is to guarantee physical operations (actions)<sup>(35)</sup>. The operation of a farm is considered as chaining, at a given time, of decision-making in a set of actions (in their management practices) in view of fulfilling one or many objectives.




FIGURE 2 Conceptual outline used to construct the strategic operating model of a case study of a family livestock producer Source: 2021 S. Cairus; unreferenced.

From a systemic approach, through the GAAS it is intended to understand the operation of the FES by answering the question "how does the farm work?" Three intermediate questions are posed: what does the system do?, to try to describe (practical) actions and results; how does it do it?, understanding its organization and its capacity for regulation, and finally, why does it do it?, looking for the family purposes and the perception of the environment<sup>(16)</sup>.

Particularly, this study tries to describe socio-productive practices, understanding them as those concrete actions by which the producer and his family operate the farm, adapting the FES to internal and external changes (environment), in order to achieve the objectives set. It evidences what they do (their actions), what they respect in all their actions (their rules), and what they try to achieve in their life and work (their goals or purposes)<sup>(36)</sup>. Therefore, the interesting thing about the strategy is to see how the path is organized and how the management measures are modified while moving forward on that path and adapting according to

the means available. That is, how producers produce, reproduce, and transform the ways of conceiving and evaluating things and actions that assure them, more or less, the management of their activities (36)

In Uruguay, this methodology has been used, since the 2000s, by a teaching team of the Experimental Station Dr. Mario A. Cassinoni of the Agronomy College, Universidad de la República, in the university program of territorial intervention, to study the socio-productive practices of family dairy and livestock producers, where the GAAS was not only part of the diagnosis, but also part of an academic cooperation project where the research was carried out by French students<sup>(16)(37)</sup>. Since 2004, the methodology has also been successfully applied by technicians of the Instituto Plan Agropecuario<sup>(38)</sup>, the main extension institute for livestock producers in the country.

## 2.2 Field Device

The application of the GAAS methodology to the theoretical sample of 9 cases of family farmers presented in this article constitutes the first part of the methodological device of an important research carried out from the qualitative paradigm, which combined different techniques in a second stage, such as focus groups and interviews with technicians and farmers.

The case studies are located in the region of influence of the Experimental Station of the Agronomy College in the department of Salto (ESACS), whose forage base is the natural field. Initially, exploratory interviews were conducted with qualified informants to select case studies, considering livestock families in different phases of the life cycle and that the initiatives to change their management practices were compatible with agroecological transition processes (for example, the use of bio-inputs and various practices of conservation of the natural field). The selected livestock families had as their main item the production of beef or sheep meat (individually or collectively) and different secondary items (dairy, wool, pigs, chickens) (Table 1). The proposal of Chia<sup>(39)</sup> was used to characterize their life cycle, which considers that the decisions families make in their FES can vary according to their life stage, either a starting or installation phase or transition, consolidation, and decline of the FES (with or without takeover). Regarding the territorial location, Cases 1 to 4 are located in the department of Tacuarembó on sandy soils, and Cases 5 to 9 are in the department of Salto on superficial basalt soils (Figure 3).

TABLE 1 Selected cases in the north of the country

Department	Case	ltem	Phase of the family- exploitation life cycle	Agricultural area of the family (ha)	Agricultural area of associative management (ha)
Tacuarembó	1	Cattle breeding and rearing, dairy farming	Consolidation	10	536
	2	Cattle breeding and rearing	Declination without takeover	4	536
	3	Cattle breeding, sheep (meat and wool)	Transition	374	n/a
	4	Cattle breeding and rearing, dairy farming	Declination with takeover	343	n/a
Salto	5	Cattle breeding and rearing, sheep (meat and wool)	Consolidation	462	760
	6	Cattle breeding, sheep (meat and wool)	Consolidation	131	760
	7	Cattle breeding, sheep (meat and wool)	Transition	123	n/a
	8	Cattle breeding and rearing, sheep (meat and fine wool)	Consolidation	491	n/a
	9	Cattle breeding, sheep (meat and wool)	Beginning of takeover	295	n/a




FIGURE 3
Territorial location of case studies in northern Uruguay\*

\*The map indicates the two rural organizations in which the livestock families participate (selected cases).

Source: 2021 S. Cairus; unreferenced.

Fieldwork was carried out by the main investigator and between May and October 2019. In much of this stage, two people participated in each visit, since a foreign researcher in the process of postdoctoral training joined as an observer. Before starting the application of the methodology, each family was visited as an introduction and to deliver documentation and an invitation to collaborate in the research. The application of the GAAS implied at least three visits to each exploitation and the preparation of monographs for each case. These monographs included the schemes of strategic functioning that were validated by each family on the last visit. The methodological itinerary presented in Figure 4 was broadly followed. An expanded description of the steps to follow for the application of the GAAS can be found in Chia and others<sup>(16)</sup>.




FIGURE 4 Methodological itinerary of the three visits of the GAAS sequence stages 1 to 7 Source: Adapted from Marshall and others  $^{(35)}$ 

As a result of the collaborative work with families, these schemes allowed identifying the practices, rules and purposes of each FES. In Figure 5, as an example of how a scheme of operation of the FES is built, a

flowchart can be observed that starts from the decisions on the operating system, where the arrows indicate the correspondence of the (practical) actions, which respond to rules and these to family purposes.




FIGURE 5 Operation scheme of the FamilyFarm System Source: Marshall and others<sup>(35)</sup>

## 3. Results and discussion

Firstly, the results of the comparative analysis of the strategic operating models are presented, and secondly, the typology constructed based on the identification of common practices among farmers is discussed.

Based on the strategic functioning models developed for the 9 case studies, it was possible to systematize and understand the purposes, rules and actions of each family, and also identify which practices could be associated with the AT process. Table 2 highlights (in italics) those rules that are linked to practices compatible with AT processes, one of the selection criteria for livestock families; they will be considered to build an analysis typology presented in this section

 $\begin{array}{c} \text{TABLE 2} \\ \text{Systematization of strategic operating models for each study case} \end{array}$ 

ı acuar	rembó Prioritize	Rules Provide formal	0.05	
	education	education to children	Self-consumption Benefit from	
	Maintain a family lifestyle Have autonomy	Maintain different sources of income	endogenous resources Feed livestock based on	
1	as family livestock producers	Training	grasslands, greenery and natural field (NF)	
		Diversify production Optimize available resources (labor,	Carry out rotary grazing	
		resources (labor, natural resources, knowledge)	NF feed for rearing and livestock	
		Collectively produce, manage and	Using biopesticide for ticks	
	Building a legacy	commercialize Generating opportunities and seizing them	NF feed for rearing and livestock	
	Being a family farmer	seizing them Being a model	Using biopesticide for ticks	
2		Supporting the family "without being employee" Organize with other		
	Having autonomy as	producers Producing feed for animals in a	Performing Voisin Rational Grazing	
	family producers Developing a unique	Sustainable way	Feed animals based	
	of production  Maintaining a	bovine and ovine rodeos	on NF Using alternatives for healthcare:	
3	simple and free lifestyle	Flexible	for healthcare: homeopathy, biocontrol	
		commercialization Minimizing time and work expenses Ecological rationality Make the most of local		
		resources The landscape defines part of the production		
	Provide conditions for	Strategies Stimulate and collaborate with the	Use preventive reproductive and	
	the children to build their own paths	collaborate with the independence of the children	health treatments	
	Being a family livestock producer	Year-round income. Flexible commercialization	sanitary products: vaccines, synthetic acaricides, biopesticide for	
4		Training	ticks Rotating paddocks to rest and seed Complement the management of NF:	
		The production, family sustenance	management of NF: two plots, one with winter pastures, and another with summer ones.	
		Believing in collaborative work to expand productive resources	Controlling weeds by grazing, avoiding the use of chemicals	
Salto	Being family farmers	Year-round income	Adjusting animal load according to grass availability (NF)	
	Ensure and prioritize children's education	Stimulate, and support the children's training	Rotating paddocks with animals as a way to control parasitosis	
5	education Having a "better" life for the family: a consequence of a trajectory of struggle and resilience	Believing in associative processes	Crossbreeding sheep to improve fineness and body	
		Optimize available resources, low-cost management improvements Openness to change and innovation	Selling organic meat	
		Year-round income	Rotation of mixed rodeo paddocks by animal category, to improve grass availability	
		Not taking risks	Feeding animals based on NF and improved NF	
6		Preserving and improving the family exploitation Optimize own resources		
		infrastructure improvements and low- cost management Support training and		
	Being family	peer exchange Diversification of	Feed cattle and sheep breeding	
	farmers Improve the quality of life in the countryside	production  Not taking risks: work	sheep breeding based on NF	
	by supporting traditions and social relationships	Not taking risks: work on what is known and has always been done	Feeding Ram in Lotus Prairie	
7	•	Ensure income for most of the year  The countryside: a	Paddock rotation to control NF growth Self-consumption of secondary	
		The countryside: a lifestyle for the family Supporting social and	exploitation products: milk and jellies	
	Have autonomy as family	Supporting social and family relationships as part of life in the countryside	Feed cattle and	
	producers Rational and	Education as a priority for the family Living in and off the	sheep based on NF	
	natural and social resources Continuously seek	countryside	Inseminate sheep Select rams from the	
8	improvement in the productive and personal aspects	Their production also for self-consumption Ensure the well-being	herd and purchase parents for insemination	
		of the family by optimizing possessions Production of differentiated quality:	Select sheep for breeding Perform early	
		continuous animal selection	weaning of calves	
	Prince 5	Supporting associative processes and projects Year-round income:	Perform ultrasound on cows Feeding cattle and	
	Being family farmers	generating and seizing opportunities	Feeding cattle and sheep breeding based on NF Prioritize grazing of rams and pregnant cows in 7 ha	
9		The production as family sustenance	cows in 7 ha grassland subdivided into paddocks	
5		Supporting associative processes and projects	The grassland is	

Family histories evidence, in the first place, the perception families have of their situation, of the family trajectory, the sense of belonging and their behavior when making decisions: "This farm belonged to my family, my paternal grandparents, and after, to my parents (...) you have to value and take care of your home" (C6); "When my wife inherited this land, it was only there that I felt that I was living in the countryside" (C8); "My husband inherited this fraction of the exploitation (...) and we came to settle here (...) the house was a shack (...) there was no water, no electricity" (C7); "My grandfather bought this farm, to leave it to his four children, I inherited part of this property, and another part I lease it to my sister (...) you learn by valuing what you have" (C9); "I had these 24 hectares of my family and we agreed to a MEVIR plan and built the house and the milking shed" (C4); "Our parents told us: finish high school and you decide, you can continue studying, here or abroad or stay in the countryside and produce, we chose the last option" (C3).

On the other hand, the experiences lived, some directly related to the health of some family members, lead them to make decisions that change the relationship of the family with nature: "When my father got sick I had to take over the exploitation, I had a very bad time, we stopped leasing and everything moved to this farm" (C5); "A few years ago I had a serious health problem (...), I see this farm as a part of us, we have to take care of it, I even have an organic vegetable garden!" (C8); "When Lucas was born we wanted to settle in the countryside" (C7); "On a visit at a producer's house on rational grazing, we saw that it was possible to do it at home, our uncle sent us two Voisin books, and we are implementing it" (C3). Although there is no emphasis on food safety aspects, the idea is intrinsic in the exchange about the decisions that are taken over time. But above all, they act as key promoters<sup>(13)</sup> when making decisions.

It can be seen how management practices are also being adopted and adapted to each FES in response to experiences such as associative work and productive projects promoted by public and private institutions in the region. In many livestock families, associative work becomes an important pillar in life and decisions: "It is important to leave the house, participate in work sessions, everything adds up" (C4); "In 2008 I went to look for each of the dairy farmers in Tacuarembó to convince them to set up a group and we created the APLT, because it was the only way to sustain dairy" (C2); "The association gave us the possibility of breeding dairy heifers on another exploitation, we had only 10 ha (...), through the organization, the producer families could access different training, they called us the crazy for training" (C1); "I always say, the greatest richness of working like this in a group is the learning that you get from everything, because it is not the same to decide on your own, that you may get stuck with something and not know how to continue, than being several people sharing ideas, that will always have a better result" (C5).

The diversification of production is part of a lifestyle and it is naturalized in all families, from the most traditional and complementary practices for consumption such as the breeding of chickens, pigs, the production of raw milk, vegetable gardens and fruit trees, to the elaboration of cheese or jellies, which also diversify income. These practices reaffirm local knowledge, practices that are transmitted from generation to generation, and that are related to sustainable rural development not only at the farm level, but at the territory, since there is "barter" and direct sale to neighbors, which can be considered reservoirs of "ecosystem resilience" (40)(41). In the participants' words, "beautiful things have been achieved with effort, (the neighbors) are all good people and personal relationships are important to share and help each other (...) with my mother we make jellies, she loves making dulce de leche and then we exchange with neighbors (...) this year we bought laying hens and we are selling eggs in town" (C7); "we have always had pigs for self-consumption and some are sold (...) as we do not have a cold chamber, everything is taken advantage of, raw milk is sold to the neighbors, the whey of the cheese is given to the pigs" (C1), "at home, we always had a vegetable garden, all the children collaborated and sometimes we bartered with the neighbors" (C2).

On the other hand, generally, the relationship with the ecological aspects of animal production takes symbolic dimensions, where the human/animal relationship and animal welfare are included, and even the relationship of humans with their land<sup>(34)</sup>, and this relation can be transformed into central aspects in the

sustainability of production systems: "I love working with animals, especially I love the sheep" (C8); "neither dog nor lasso is used, stress must be reduced (in animals)" (C9); "we had successive frustrations, we used the whole package: cries, dogs, chemicals (...) we do not do it anymore" (C3), "we take care of the exploitation as my parents did" (C6).

Some of the practices carried out by livestock families tend to the conservation of natural resources and the reduction of the environmental impact on production, such as the rotation of paddocks or Voisin rational grazing, prioritizing food in the natural field, the use of biopesticide for ticks, etc.: "The project on climate change allows us to continue with the paddocking for rational grazing (...) we seek to produce more and more sustainably" (C3); "I have been selling meat to the slaughterhouse for about 10 years (...) I want to be credited as organic meat. I don't use [chemically synthesized pesticide for ticks] and I got more excited about the idea when the buyer of the wool told me that you get paid up to a few cents more on the wool." (C5)

In a comparative analysis of the 9 cases, based on the operating schemes of the FESs, it was possible to identify actions that respond to rules compatible with agroecological management, and which in turn can be considered as promoting innovations towards an AT in the region. Based on the information obtained, a typology was developed that allows exploring the diversity of AT paths in family livestock producers. Following Weber's proposal of ideal types in compressive and systematic theory, this typology is used as an instrument that allows the construction of new hypotheses (or intermediate hypotheses), in the understanding of complex phenomena that occur in uncertain situations<sup>(42)</sup>.

Therefore, the typology presented in this study was made to understand agroecological practices under construction. So, it is a theoretical proposition, constructed qualitatively. It is not statistically representative but tries to synthesize ideas that allow understanding and interpreting the diversity of agroecological practices found.

In this regard, the cross-sectional analysis of the 9 monographs allowed identifying and understanding the actions of families (and not only productive practices), and thus finding ways of action that were common and varied. For example, some of the common actions were: belonging to an organization, having an interest in training in certain practices, optimizing the use of its resources, minimizing the entry of external inputs, and providing education to their children, which is compatible with the results of previous research carried out with this methodology in the region (3)(34).

## 3.1 FES typology of operation and paths for the agroecological transition

A first analysis was carried out to understand the socio-productive practices of family farmers in northern Uruguay, and identify those that represent one or more paths of transition to agroecology. The result of this first analysis shows that, for the same purpose, the rules and actions can be several, and could even be differentiated between more "innovative" and more "traditional" practices.

As explained in previous sections, the typology allows grouping the FESs according to the similarity of operation, comparing these empirical data<sup>(43)</sup> and, thus, understanding if there is a single path or more than one by which the FESs move towards an agroecological model. To build this typology, the data were analyzed taking into account two dimensions within their management practices: (i) reproduction and animal health (sheep and cattle); (ii) natural field management (production and use of forage supply).

On the other hand, the common strategic rules associated with the socio-productive practices identified in the first analysis were grouped by similarity of criteria (as proposed by Dieguez<sup>(3)</sup>), and three strategic macrorules were obtained that are related to: (a) **Social and productive integration**, since part of socio-productive development, technological change has to do with rural organization according to the result of the analysis of its FES ("supporting associative processes and projects so as to improve", "supporting collaborative work to expand productive resources"); (b) **Supporting productive changes**, those socio-productive practices

related to the search of technologies to improve the quality of their product without losing sustainability of the system, minimizing risks ("openness to change and innovation", "supporting continuous selection for a differentiated quality production, producing more food for animals in a sustainable way"); (c) **Improving quality and lifestyle**, explains that decisions on practices at the productive level are related to the lifestyle that families want to have and preserve, anchored in the family tradition ("the countryside: a way of life for the family", "production as the family sustenance", "preserving the family property and improving it").

Finally, the macro-rules and socio-productive management practices give clues to the different paths that may exist in the transition to agroecological production. The typology comprises three types of pathways to AT: (i) diversification; (ii) biodiversity management, and (iii) traditional practices. Below, the three types built are presented, and the distribution of the 9 cases in them (Table 3).

# 3.2 The paths of the agroecological transition: From diversification to maintaining traditional practices passing through innovation

## 3.2.1. Agroecological transition from diversification

Management practices and strategies can be thought of as valuing natural resources, but with models that emerged from collective action, such as the use of bio-pesticide for ticks. Environmental care practices have several objectives: to increase the quality of the product to be commercialized, to take advantage of the potential of the fields without having to invest with external inputs (efficiency of land use), and to start moving forward on paths that make their products better for the life quality of people. And from this, those innovations arise, for example, the use of biological insecticide for ticks, not using glyphosate anymore and performing rotary grazing with differentiated paddocks. The decisions of the families who carry out these practices serve the desire to continue living in the countryside and to be able to give their children the possibility to do what they want, but always trying to leave them a legacy.

## 3.2.2. Agroecological transition from biodiversity management

Management practices and strategies are expressed in the complexity of systems and suggest managing biodiversity with a greater emphasis on technology. Changes in their management practices seek purposes that relate to strong family experiences. These are changes that follow a defined and very clear path; for example, Voisin rational grazing, continuous grazing with load management according to grass availability, coprological analysis, tattooing of sheep, very little use of external inputs, category management of animals, use of biological pesticide for ticks (in other parts there is a very low incidence of tick, therefore, there is no use of chemically synthesized products for tick treatments).

These practices are associated with the experiences of certain families, ranging from the need to generate income to health problems that change these producers' lives and the need to generate new things. Some phrases of their statements reveal the interest of these families to support changes (innovations) in the search for ways to produce sustainable products.

# 3.2.3. Agroecological transition from the maintenance of traditional practices

They go through the relationship of the family with their own land, with the area in which they lived all their lives, the practices' logic can be considered more traditional, as peasants. Practices are carried out the way they have always been, but they can change from year to year, and even though "it was always done that way",

decisions are not always the same. These are families that are there because they were always there, because their parents shared their knowledge and love for the countryside.

The identified backgrounds from socio-productive management practices show that there is not one pathway to agroecological production. Here we identified three paths, one that supports the transition from the exchange and diversification of production; another that supports innovation, in environment-conservative technologies, optimizing the use of its resources; and a third that supports the transition from family traditions, so as not to destroy an exploitation that has sustained a particular lifestyle (Figure 6).

Now, these paths are not static, or unique, they are identified from the particular realities of these families. This does not mean that they cannot take other alternatives in the future, during this AT process, precisely due to the implementation of public policies, or the future implementation of the National Agroecology Plan. In addition, at the territorial level, there are exchanges between different social actors, whether technical professionals or peers, that can also act as drivers of change.

The typology built can be used as a starting point for diagnostics and for the application of research-action-participatory or co-innovation methodologies, confronting family producers with these types, exchanging and learning the appreciation they have about their own practices. It should be noted that all three types were validated with producers and technicians in group work (article in progress).

The GAAS methodology is highlighted as appropriate for the approximation to the FES of family producers of any production item<sup>(23)</sup>. In the country, it has been mostly tested in dairy and livestock producers, but recently it is being used for research in horticultural-livestock systems in the south of the country.

TABLE 3
Grouping of technical productive management practices according to two productive dimensions

Practices of agroecological transition processes								
	Reproduction and health	Concentrated calvings, calves are sold at weaning Biological pesticide for	Concentrated delivery, temporary weaning, coprological analysis (mostly) Animal management by category. Selection of animals (Fine Merino, Texel tattoos)	Long service period, deliveries since August Shearing in November, sometimes shearing before delivery "Calendar" health (samples every 2 months)				
PRODUCTION OBJECTIVES	Production and use of forage supply	Improvement of natural field, some winter grazing and lotus grassland Animal load relative to the amount of pasture Grassland rotation by category Rearing outside the family property	Continuous grazing with pasture height measurement (animal load relative to pasture quantity) Voisin Rational Grazing Grazing by animal category	Conservation of natural fields (few animals in large areas), some improvement Low animal load, low paddocking, low animal turnover				
Shared Macro	Rules							
		Integrate socially and productively	Supporting innovations and productive changes	Improve quality and maintain- improve a lifestyle				
Transitional typology								
AGROECOLOGICAL TRANSITION PATHWAYS		Exchange and diversification "Putting eggs in different baskets"	Management of biodiversity "Innovating to intensify the agroecosystem"	Traditional practices "If it works, don't change it"				





FIGURE 6
Livestock farmers carrying out different production management practices
Picture 1: Tacuarembó, sandstones, 2019. Picture 2: Tacuarembó, sandstones, 2019.

## 4. Conclusions

As illustrated by the results presented, the GAAS allows accessing the farmers' strategies, their socio-productive practices and, therefore, the decision model. The results are encouraging to understand and identify the paths of the AT. Although it requires significant collaboration between the researcher and the family farmers to outline their management practices and approach the action models, this collaborative work time manages to identify agroecological bases and regularities between the cases. The methodology allows learning and academically enhancing the knowledge of the livestock producer about environmental care.

The typology built from the similarities and differences between the socio-productive practices of the cases analyzed allowed finding more than one possible path by which farmers are moving towards agroecology. Case studies (monographs) are the first necessary step to understand the decisions of livestock families, the meaning of their practices, and why they do what they do. The rules and purposes of each family defined a "set" of practices and action strategies that relate to agroecology and that allow visualizing different "paths" of AT.

Regarding these paths, the results of each family history evidence the interest in an environmentally friendly production in response to the purposes of each case. In "diversified agroecological" practices, the path is represented by the interest that families have in production as an improvement in life quality, linked to the journey of the organizations to which they belong, since changes are the result of collaborative work. In "agroecological practices based on biodiversity management", the path to agroecology is determined by the background of the families who individually introduce new practices driven by environmentally productive projects, and are convinced that this is the path of change (technological change). And finally, in "traditional agroecological" practices the path is more diffuse and it is reflected in the conservation of the natural field; the changes are latent, but the way forward and the speed will depend on proposals and innovations that do not require changing their lifestyle or transforming their purposes.

Regarding the elaboration of public policies and the support of family farmers who enter the virtuous circle of agroecology, the consideration of the typology developed, which represents different ways to practice agroecology, would allow better orientation of actions and, thus, greater efficiency in AT processes. The implementation of the National Agroecology Plan opens doors in Uruguay to transformations in family

production towards agroecologically-based production systems, since these family producers are the main subjects of the law. It is necessary, then, to know not only who and how many these subjects are, but their strategies and productive purposes, as well as their decision-making, their territory and the exchange with other social actors.

It is also necessary to deepen, in the future, the research on socio-productive management practices that can be part of an AT. In this way, it will be possible to specify the technical, organizational and social conditions that structure these possible AT pathways. Likewise, from a more territorial and comprehensive perspective, we can question the time it takes to analyze the cases, and the possibility of carrying out a questionnaire that allows collecting information more quickly on a larger number of producers.

#### ACKNOWLEDGMENTS

We thank the nine livestock producer families who received us and provided information on the backgrounds and operations of their farms. Without your selfless cooperation and warmth our research would not have been possible.

#### REFERENCES

- Altieri MA. Agroecología: principios y estrategias para diseñar sistemas agrarios sustentables. In: Sarandón SJ, editor.
   Agroecología: el camino hacia una agricultura sustentable. La Plata: Ediciones Científicas Americanas; 2002. p. 49-56.
- 2. Posada Rodríguez V, Posada N, Rodríguez A. Fabricar la agroecología: lecciones de los proyectos de desarrollo social. Agrociencia Uruguay. 2020;24(1):e363. Doi: 10.31285/AGRO.24.363.
- 3. Diéguez F. Estudio de las finalidades de funcionamiento de un grupo de explotaciones familiares ganaderas extensivas. Agrociencia Uruguay. 2014;18(2):148-58.
- 4. Gazzano I, Achkar M. Conflictos de las transformaciones territoriales: ganaderos frente a la intensificación agraria en Esteros de Farrapos Uruguay. Revibec. 2016;26:109-21.
- 5. Bianco M, Chauvet M. COVID-19, alimentos y naturaleza: oportunidad para una imprescindible reconexión. Debates sobre Innovación. 2020;5(1):1-5.
- 6. Altieri MA, Nicholls CI. Agroecología: única esperanza para la soberanía alimentaria y la resiliencia socioecológica. Agroecología [Internet]. 2012 [cited 2023 May 9];7(2):65-83. Available from: https://revistas.um.es/agroecología/article/view/182861
- 7. Meynard JM. L'agroécologie, un nouveau rapport aux savoirs et à l'innovation. OCL. 2017;24(3):D303. Doi: 10.1051/ocl/2017021.
- 8. Venegas C, Gómez B, Infante A. Manual de transición agroecológica para la Agricultura Familiar Campesina [Internet]. Santiago de Chile: INDAP; 2018 [cited 2023 May 9]. 201p. Available from: https://bibliotecadigital.ciren.cl/handle/20.500.13082/32260
- 9. Tittonell P. Las transiciones agroecológicas: múltiples escalas, niveles y desafíos. Rev Fac Cienc Agrar Univ Nac Cuyo. 2019;51(1):231-46.
- 10. Chia E, Angeon V. L'agroécologie en action: frein ou levier du développement rural en Guadeloupe? Paper presented at: 54ème colloque joint de l'ASRDLF; 2017 jui 5-7; Athènes, Grèce
- 11. Claveirole C. La transition agroécologique: défis et enjeux [Internet]. Paris: Conseil économique, social et environnemental; 2016 [cited 2023 May 9]. 105p. Available from: https://www.lecese.fr/sites/default/files/pd f/Avis/2016/2016\_13\_agroecologie.pdf
- 12. Stirling A. Emancipating transformations: from controlling 'the transition' to culturing plural radical progress. Brighton: STEPS Centre; 2014. 41p.

- 13. Mier y Terán Giménez Cacho M, Giraldo OF, Aldasoro M, Morales H, Ferguson BG, Rosset P, Khadse A, Campos C. Bringing agroecology to scale: Key drivers and emblematic cases. Agroecol Sustain Food Syst. 2018;42(6):637-65. Doi: 10.1080/21683565.2018.1443313.
- 14. Vitry C, Chia E. Contextualisation d'un instrument et apprentissages pour l'action collective. Rev manage aveni. 2016;(83):121-41.
- 15. Cremin É. Adaptations agroécologiques et mobilités face aux aléas hydromorphologiques et aux contraintes foncières dans la plaine alluviale du Brahmapoutre (Assam Inde). Cah Outre-Mer. 2020;281:219-48. Doi: 10.4000/com.11263.
- 16. Chia E, Téstut M, Figari M, Rossi V. Comprender, dialogar, coproducir: reflexiones sobre el asesoramiento en el sector agropecuario. Agrociencia Uruguay. 2003;7(1):77-91.
- 17. Wezel A, Bellon S, Doré T, Francis C, Vallod D, David C. Agroecology as a science, a movement and a practice: a review. Agron Sustain Dev. 2009;29(4):503-15.
- 18. Gaglio G. Sociologie de l'innovation. Paris: Presses Universitaire de France; 2012. 126p.
- 19. Akrich M. Les utilisateurs, acteurs de l'innovation. Education permanente. 1998;(134):79-89.
- 20. Callon M. Éléments pour une sociologie de la traduction: la domestication des coquilles Saint-Jacques et des marins-pêcheurs dans la baie de Saint-Brieuc. L'Année Sociologique (1940/1948-) [Internet]. 1986 [cited 2023 May 9];36:169-208. Available from: http://www.jstor.org/stable/27889913
- 21. Alter N. L'innovation ordinaire. Paris: Presses Universitaires de France Quadrige; 2010. 312p.
- 22. Brossier J, Chia E, Marshall E, Petit M. Gestion de l'exploitation agricole familiale: eléments théoriques et méthodologiques. France: ENESAD-CNERTA; 1997. 215p.
- 23. Chia E, Petit M, Brossier J. Théorie du comportement adaptatif et agriculture familiale. In: Gasselin P, Choisis JP, Petit S, Purseigle F, Zasser-Bedoya S, editors. L'agriculture en famille: travailler, réinventer, transmettre. France: INRA-SAD; 2014. p. 100-81. Doi: 10.1051/978-2-7598-1192-2.c006.
- 24. Rossi V, de Hegedus P, Franco R, Areosa P, Dacoli P, Ferreira I, Fúster F. Impactos del relacionamiento de Eduardo Chia con la Facultad de Agronomía. Cangué [Internet]. 2018 [cited 2023 May 9];(NE 40):36-42. Available from: http://www.eemac.edu.uy/cangue/images/revistas/revista\_40/Cangue40.pdf
- Ministerio de Ganadería, Agricultura y Pesca, DIEA (UY). Anuario estadístico agropecuario 2018 [Internet]. Montevideo: MGAP; 2018 [cited 2023 May 9]. 210p. Available from: https://descargas.mgap.gub.uy/DIEA/Anuarios/Anuario2018/Anuario\_2018.pdf
- 26. Declaracion de interes general y creación de una comision honoraria nacional y plan nacional para el fomento de la produccion con bases agroecologicas. Ley N° 19.717 [Internet]. 2019 [cited 2023 May 9]. Available from: h ttps://www.impo.com.uy/bases/leyes/19717-2018
- 27. Ribeiro CM. Estudo do modo de vida dos pecuaristas familiares da regiao da Campanha do Rio Grande do Sul [doctoral's thesis]. Porto Alegre (BR): Universidad Federal do Río Grande do Sul; 2009. 303p.
- 28. Gómez A, Chiappe M. Desarrollo local con enfoque agroecológico: la experiencia del Plan de Soberanía Alimentaria Territorial en el departamento de Treinta y Tres. Agrociencia Uruguay. 2013;17(1):153-63.
- 29. Gazzano I, Gómez A. Agroecology in Uruguay. Agroecol Sustain Food Syst. 2017;41(3-4):380-400. Doi: 10.1080/21683565.2017.1286533.
- 30. Modernel P, Dogliotti S, Alvarez S, Corbeels M, Picasso V, Tittonell P, Rossing W. Identification of beef production farms in the Pampas and Campos area that stand out in economic and environmental performance. Ecol Indic. 2018;89:755-70.
- 31. Albicette MM, Bortagaray I, Scarlato S, Aguerre V. Co-innovación para promover sistemas ganaderos familiares más sostenibles en Uruguay: análisis de tres años de cambios en la dimensión social de la sostenibilidad. Rev latinoam estud rural [Internet]. 2016 [cited 2023 May 9];1(2):105-36. Available from: http://www.ceilconice t.gov.ar/ojs/index.php/revistaalasru/article/view/181
- 32. Avenier MJ, Schimitt C. Élaborer des savoirs actionnables et les communiquer à des manageurs. Rev Française de Gest. 2007:174:25-42.

- 33. Osty PL. L'exploitation agricole vue comme un système: diffusion de l'innovation et contribution au développement. Bulletin Technique d'Informations. 1978;326:43-9.
- 34. Rossi V. Prácticas de resistencia de los productores familiares en el agro uruguayo. Córdoba: Centro de Estudios Avanzados; 2019. 268p.
- 35. Marshall E, Bonneviale JR, Francfort I. Fonctionnement et diagnostic global de l'exploitation agricole: une méthode interdisciplinaire pour la formation et le développement. Dijon: ENESAD-SED; 1994; 173p.
- 36. Darré JP. Pairs et experts dans l'agriculture: dialogues et production de connaissance pour l'action. France: Erès; 1994. 227p.
- 37. Carbo A, Ferreira G, Franco L, Martirena G, Melognio A. Estudio de las potencialidades y limitantes de la Metodología Enfoque Global de la explotación Agropecuaria (EGEA) para su aplicación en las condiciones de Uruguay [grade's thesis]. Montevideo (UY): Universidad de la República, Facultad de Agronomía; 2003. 334p.
- 38. Morales H, Dieguez F. Familias y campo: rescatando estrategias de adaptación. Montevideo: Instituto Plan Agropecuario; 2009. 246p.
- 39. Chía E. Les pratiques de Trésorerie des agriculteurs: la gestion en quête d'une théorie [doctoral's thesis]. Dijon (FR): L'université de Bourgogne, Faculté de Sciences Économiques et de Gestion; 1987. 250p.
- 40. Altieri MA. Escalonando la propuesta agroecológica para la soberanía alimentaria en América Latina. Agroecología [Internet]. 2009 [cited 2023 May 9];4:39-48. Available from: https://revistas.um.es/agroecologia/article/view/117171
- 41. Nicholls CI, Henao A, Altieri MA. Agroecología y el diseño de sistemas agrícolas resilientes al cambio climático. Agroecología. 2017;10(1):31-7.
- 42. Quiñones M, Supervielle M. La construcción de tipologías. In: Quiñones M, Supervielle M, Acosta M, editors. Introducción a la sociología cualitativa: fundamentos epistemológicos y elementos de diseño y análisis. Montevideo: Ediciones Universitarias; 2017. p. 141-50.
- 43. Cohen N, Gómez Rojas G. Las tipologías y sus aportes a las teorías y la producción de datos. Rev latinoam metodol investig soc. 2011;1(1):36-46.

## Notes

[I] Various authors refer to hybridizations of scientific knowledge with other types of knowledge, ordinary or profane.

[II] According to the MGAP, family producers are those who meet the following requirements: residence on the property or no more than 50 km from it; not having more than 500 ha CONEAT 100 index (soil productivity index); mainly family labor (no more than two employees); most of the net family income must come from the agricultural farm.

#### ALTERNATIVE LINK

https://agrocienciauruguay.uy/index.php/agrociencia/article/view/1069/1399 (pdf)